

# XXZKITDM6

Ultrasonic Configuration accessory, jumper  
M12 Male 4-pin to Deutsch Female 6-pin  
connector



## Main

Product or component type	Accessory kit
Accessory / separate part destination	Ultrasonic sensor
Product compatibility	XXW - ultrasonic sensor
Accessory / separate part category	Configuration accessories
Accessory / separate part type	Configuration software

## Complementary

Connector type	6 pins DTM04-6P connector 4 pins M12 male connector
Material	Plastic and metal

## Environment

Ambient air temperature for storage	-20...45 °C
Ambient air temperature for operation	0...45 °C
Relative humidity	95 % without condensation

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	18.0 cm
Package 1 Length	24.0 cm
Package 1 Weight	55.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.424 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability


REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

---

Dimensions

---

Cable with one male M12 4-pin connector and one female Deutsch DTM04 6-pin connector




(1): M12 connector (male, 4-pin).

(2): Deutsch connector DTM04 (female 6-pin).

Connection and schema

Configuration cable

Cable with one male M12 4-pin connector and one female Deutsch DTM04 6-pin connector



(1): M12 connector (male, 4-pin)

(2): Deutsch connector DTM04 (female, 6-pin)

M12 connector		
Pin Number	Wire Color	Description
1	Brown	24 V ■ , power to sensor
2	White	Software communication
3	Blue	0 V ■
4	Black	Software communication

Deutsch connector DTM04		
Pin Number	Wire Color	Description
1	Brown	24 V ■ , power to sensor
2	Blue	0 V ■
3	Black	Software communication
4	White	Software communication
5	—	Contact not connected, equipped with a sealing plug
6	—	Contact not connected, equipped with a sealing plug